


ULYSSES

ATTUATORE LINEARE A STELO – FORZA 650 N – CORSA 180 - 300 mm

LINEAR SPINDLE ACTUATOR – FORCE 650 N – STROKE 180 - 300 mm

VERINS A TIGE ELECTRIQUES – FORCE 650 N- COURSE 180 - 300 mm



I Applicazione su finestra a spingere con davanzale con staffa di estremità in dotazione

GB Installation on top hinged window with windowsill with fixing end bracket included


F Sur chassis projetant avec appui avec étrier d'extrémité inclus

ULYSSES

ATTUATORE LINEARE A STELO – FORZA 650 N – CORSA 180 - 300 mm

LINEAR SPINDLE ACTUATOR – FORCE 650 N – STROKE 180 - 300 mm

VERINS A TIGE ELECTRIQUES – FORCE 650 N- COURSE 180 - 300 mm



- I** Applicazione su pale frangisole con fissaggio posteriore con staffa
- GB** Installation on sun blades with back fixing through bracket
- F** Sur lames brise-soleil avec fixation postérieure par étrier standard

ULYSSES

ATTUATORE LINEARE A STELO – FORZA 650 N – CORSA 180 - 300 mm
LINEAR SPINDLE ACTUATOR – FORCE 650 N – STROKE 180 - 300 mm
VERINS A TIGE ELECTRIQUES – FORCE 650 N- COURSE 180 - 300 mm



I Applicazione su cupola con staffa di estremità in dotazione

GB Installation on dome with fixing end bracket included

F Sur dome avec étrier d'extrémité inclus

ULYSSES

ATTUATORE LINEARE A STELO – FORZA 650 N – CORSA 180 - 300 mm

LINEAR SPINDLE ACTUATOR – FORCE 650 N – STROKE 180 - 300 mm

VERINS A TIGE ELECTRIQUES – FORCE 650 N- COURSE 180 - 300 mm



I Applicazione su serramento a louver orizzontali con fissaggio posteriore

GB On horizontal louvre with back fixing

F Sur fenêtre à lames horizontales par fixation postérieure

ULYSSES

ATTUATORE LINEARE A STELO – FORZA 650 N – CORSA 180 - 300 mm

LINEAR SPINDLE ACTUATOR – FORCE 650 N – STROKE 180 - 300 mm

VERINS A TIGE ELECTRIQUES – FORCE 650 N- COURSE 180 - 300 mm



- I** Applicazione su serramento a louvre con staffa posteriore
- GB** On horizontal louvre with back fixing bracket
- F** Fixation postérieure sur fenêtre à lames avec étrier